ELSEVIER

Wear 202 (1996) 217

WEAR

Author Index of Volume 202

Anderson, R.M., 35

Bancroft, G.M., 172, 192
Baranov, V.M., 125
Barbezat, G., 208
Bhushan, B., 3, 17, 30, 35, 50, 60, 68, 83, 99, 110

Clayton, P., 202
Colaianni, M.L., 192

Fuller, M., 172
Fyfe, K., 172, 192

Jin, N., 202
Jin, Y.S., 208

Kasrai, M., 172, 192
Kato, K., 165
Khatavkar, D.V., 30
Kitagawa, T., 142
Koinkar, V.N., 110
Kondo, H., 149
Kubo, A., 142
Kudryavtsev, E.M., 125

Li, X.M., 208
Li, Y., 60

Maekawa, K., 142

Pathak, J.P., 134
Patton, S.T., 99
Poon, C.Y., 68, 83
Pramila Bai, B.N., 154

Rack, H.J., 215

Sannino, A.P., 215
Saravanan, R.A., 154
Sarychev, G.A., 125
Shao, T.M., 208
Surappa, M.K., 154

Tan, K.H., 172, 192
Tiwari, S.N., 134
Torabian, H., 134

Weick, B.L., 17

Xie, Y., 3
Xu, J., 165

Yang, Y.Y., 208
Yin, Z., 172, 192

Zhao, Z., 50

Elsevier Science S.A.

ELSEVIER

Wear 202 (1997) 219–221

WEAR

Subject Index of Volume 202

- A356 erosive wear
  - erosion of A356 Al–SiC$_p$ composites due to multiple particle impact, 154
- Abrasive wear
  - fundamental wear studies with magnetic particles and head cleaning agents used in magnetic tapes, 3
- Acoustic emission
  - modelling of the parameters of acoustic emission under sliding friction of solids, 125
- Agglomeration
  - the effect of water vapor on the agglomeration of wear particles of ceramics, 165
- Al–Si–Pb alloys
  - antiseizure and antifriction characteristics of Al–Si–Pb alloys, 134
- Antifriction
  - antiseizure and antifriction characteristics of Al–Si–Pb alloys, 134
- Antiseizure
  - antiseizure and antifriction characteristics of Al–Si–Pb alloys, 134
- Antiwear
  - application of soft X-ray absorption spectroscopy in chemical characterization of antiwear films generated by ZDDP. Part I: the effects of physical parameters, 172
  - application of soft X-ray absorption spectroscopy in chemical characterization of antiwear films generated by ZDDP. Part II: the effect of detergents and dispersants, 192
- Asperity contact
  - numerical contact and stiction analyses of Gaussian isotropic surfaces for magnetic head slider/disk contact, 68
  - nano-asperity contact analysis and surface optimization for magnetic head slider/disk contact, 83
- Atomic force/friction force microscopy
  - microtribological studies of Al$_2$O$_3$, Al$_2$O$_3$–TiC, polycrystalline and single-crystal Mn–Zn ferrite, and SiC head slider materials, 110

- Bainite
  - effect of microstructure on rolling/sliding wear of low carbon bainitic steels, 202
- Bonded lubricant films
  - effect of bonded lubricant films on the tribological performance of magnetic thin-film rigid disks, 50

- Ceramics
  - the effect of water vapor on the agglomeration of wear particles of ceramics, 165
- Ceramic tool
  - temperature and wear of cutting tools in high-speed machining of Inconel 718 and Ti–6Al–6V–2Sn, 142
- Composite
  - the relationship between dynamic mechanical behavior, transverse curvature, and wear of magnetic tapes, 17
  - erosion of A356 Al–SiC$_p$ composites due to multiple particle impact, 154
- Cr$_3$C$_2$–25%NiCr coatings
  - impact wear performances of Cr$_3$C$_2$–NiCr coatings by plasma and HVOF spraying, 208

- Defects
  - impact wear performances of Cr$_3$C$_2$–NiCr coatings by plasma and HVOF spraying, 208
- Detergent
  - application of soft X-ray absorption spectroscopy in chemical characterization of antiwear films generated by ZDDP. Part II: the effect of detergents and dispersants, 192
- Diamond-like carbon coatings
  - wear and friction studies of contact recording interface with microfabricated heads, 60
- Dispersant
  - application of soft X-ray absorption spectroscopy in chemical characterization of antiwear films generated by ZDDP. Part II: the effect of detergents and dispersants, 192
- DMA
  - the relationship between dynamic mechanical behavior, transverse curvature, and wear of magnetic tapes, 17
- Double bond
  - effect of double bonds on friction in the boundary lubrication of magnetic thin film media, 149
- Dry erosion
  - erosion of A356 Al–SiC$_p$ composites due to multiple particle impact, 154

- Failure mechanisms
  - wear and friction studies of contact recording interface with microfabricated heads, 60
- Film formation mechanisms
  - application of soft X-ray absorption spectroscopy in chemical characterization of antiwear films generated by ZDDP. Part I: the effects of physical parameters, 172
- Friction
  - role of water vapor on the wear of Mn–Zn ferrite heads sliding against magnetic tapes, 30
  - concurrent measurement of in situ friction force and head signal amplitude during dropouts in rotary head tape drives, 35
  - effect of bonded lubricant films on the tribological performance of magnetic thin-film rigid disks, 50
- Friction and wear of magnetic heads
  - wear and friction studies of contact recording interface with microfabricated heads, 60
- Friction coefficient
  - the effect of water vapor on the agglomeration of wear particles of ceramics, 165
- FTIR
  - effect of double bonds on friction in the boundary lubrication of magnetic thin film media, 149

Elsevier Science S.A.

Head/disk interface
  numerical contact and stiction analyses of Gaussian isotropic surfaces for magnetic head slider/disk contact, 68
  nano-asperity contact analysis and surface optimization for magnetic head slider/disk contact, 83
Head cleaning agent wear
  fundamental wear studies with magnetic particles and head cleaning agents used in magnetic tapes, 3
Head materials
  microtribological studies of Al_2O_3, Al_2O_3–TiC, polycrystalline and single-crystal Mn–Zn ferrite, and SiC head slider materials, 110
High-speed machining
  temperature and wear of cutting tools in high-speed machining of Inconel 718 and Ti–6Al–6V–2Sn, 142

Impact fatigue
  impact wear performances of Cr_3C_2–NiCr coatings by plasma and HVOF spraying, 208
Impact wear
  impact wear performances of Cr_3C_2–NiCr coatings by plasma and HVOF spraying, 208
Indentation hardness
  microtribological studies of Al_2O_3, Al_2O_3–TiC, polycrystalline and single-crystal Mn–Zn ferrite, and SiC head slider materials, 110

Low carbon bainitic steel
  effect of microstructure on rolling/sliding wear of low carbon bainitic steels, 202
Lubricant
  effect of double bonds on friction in the boundary lubrication of magnetic thin film media, 149
Lubricant film thickness
  numerical contact and stiction analyses of Gaussian isotropic surfaces for magnetic head slider/disk contact, 68
Lubrication
  effect of bonded lubricant films on the tribological performance of magnetic thin-film rigid disks, 50

Magnetic disks
  effect of bonded lubricant films on the tribological performance of magnetic thin-film rigid disks, 50
Magnetic materials
  micromechanical and tribological characterization of alternate pole tip materials for magnetic recording heads, 99
Magnetic particle wear
  fundamental wear studies with magnetic particles and head cleaning agents used in magnetic tapes, 3
Magnetic signal amplitude
  concurrent measurement of in situ friction force and head signal amplitude during dropouts in rotary head tape drives, 35
Magnetic storage devices
  microtribological studies of Al_2O_3, Al_2O_3–TiC, polycrystalline and single-crystal Mn–Zn ferrite, and SiC head slider materials, 110
Magnetic thin film media
  effect of double bonds on friction in the boundary lubrication of magnetic thin film media, 149
Mechanical properties
  micromechanical and tribological characterization of alternate pole tip materials for magnetic recording heads, 99
Microtribology
  microtribological studies of Al_2O_3, Al_2O_3–TiC, polycrystalline and single-crystal Mn–Zn ferrite, and SiC head slider materials, 110
Modulus
  the relationship between dynamic mechanical behavior, transverse curvature, and wear of magnetic tapes, 17

Nickel-based alloy
  temperature and wear of cutting tools in high-speed machining of Inconel 718 and Ti–6Al–6V–2Sn, 142
Numerical models
  numerical contact and stiction analyses of Gaussian isotropic surfaces for magnetic head slider/disk contact, 68
  nano-asperity contact analysis and surface optimization for magnetic head slider/disk contact, 83

Polar lubricant
  effect of bonded lubricant films on the tribological performance of magnetic thin-film rigid disks, 50
Pole tip materials
  micromechanical and tribological characterization of alternate pole tip materials for magnetic recording heads, 99
Pole tip recession
  micromechanical and tribological characterization of alternate pole tip materials for magnetic recording heads, 99
Polishing
  fundamental wear studies with magnetic particles and head cleaning agents used in magnetic tapes, 3
Polymer
  the relationship between dynamic mechanical behavior, transverse curvature, and wear of magnetic tapes, 17
Polyphosphates
  application of soft X-ray absorption spectroscopy in chemical characterization of antiwear films generated by ZDDP. Part I: the effects of physical parameters, 172
  application of soft X-ray absorption spectroscopy in chemical characterization of antiwear films generated by ZDDP. Part II: the effect of detergents and dispersants, 192

Random function
  modelling of the parameters of acoustic emission under sliding friction of solids, 125
Rolling/sliding wear
  effect of microstructure on rolling/sliding wear of low carbon bainitic steels, 202
Rotary head tape drives
  concurrent measurement of in situ friction force and head signal amplitude during dropouts in rotary head tape drives, 35

Sampling resolution
  nano-asperity contact analysis and surface optimization for magnetic head slider/disk contact, 83
Signal dropouts
  concurrent measurement of in situ friction force and head signal amplitude during dropouts in rotary head tape drives, 35
Sliding friction
  modelling of the parameters of acoustic emission under sliding friction of solids, 125
Static fatigue
  role of water vapor on the wear of Mn–Zn ferrite heads sliding against magnetic tapes, 30
Stiction
  numerical contact and stiction analyses of Gaussian isotropic surfaces for magnetic head slider/disk contact, 68
  nano-asperity contact analysis and surface optimization for magnetic head slider/disk contact, 83
Surface roughness
  numerical contact and stiction analyses of Gaussian isotropic surfaces for magnetic head slider/disk contact, 68
  nano-asperity contact analysis and surface optimization for magnetic head slider/disk contact, 83

Tape head
  micromechanical and tribological characterization of alternate pole tip materials for magnetic recording heads, 99

Tape tribology
  fundamental wear studies with magnetic particles and head cleaning agents used in magnetic tapes, 3
  role of water vapor on the wear of Mn–Zn ferrite heads sliding against magnetic tapes, 30
Temperature
  temperature and wear of cutting tools in high-speed machining of Inconel 718 and Ti–6Al–6V–2Sn, 142
Titanium alloy
  temperature and wear of cutting tools in high-speed machining of Inconel 718 and Ti–6Al–6V–2Sn, 142
Tool wear
  temperature and wear of cutting tools in high-speed machining of Inconel 718 and Ti–6Al–6V–2Sn, 142
Tribochemical reaction
  effect of double bonds on friction in the boundary lubrication of magnetic thin film media, 149
Tribology
  the relationship between dynamic mechanical behavior, transverse curvature, and wear of magnetic tapes, 17

Viscoelasticity
  the relationship between dynamic mechanical behavior, transverse curvature, and wear of magnetic tapes, 17

Water vapor
  the effect of water vapor on the agglomeration of wear particles of ceramics, 165
Wear
  role of water vapor on the wear of Mn–Zn ferrite heads sliding against magnetic tapes, 30
  effect of bonded lubricant films on the tribological performance of magnetic thin-film rigid disks, 50
  micromechanical and tribological characterization of alternate pole tip materials for magnetic recording heads, 99
Wear debris
  concurrent measurement of in situ friction force and head signal amplitude during dropouts in rotary head tape drives, 35
Wear particles
  the effect of water vapor on the agglomeration of wear particles of ceramics, 165

XANES
  application of soft X-ray absorption spectroscopy in chemical characterization of antiwear films generated by ZDDP. Part I: the effects of physical parameters, 172
  application of soft X-ray absorption spectroscopy in chemical characterization of antiwear films generated by ZDDP. Part II: the effect of detergents and dispersants, 192